INSPECTIS

Ultra HD Digital Microscope U10/U10s





Premium imaging quality available in two industrial grade form factors, U10 and U10s, that deliver the same uncompromising Ultra High Definition performance, where and how you need it!



- Convenient 10:1 zoom optics with auto-focus
- Ultra HD, 8 megapixel 30 fps camera for careful inspection of fine detail
- Designed for outstanding performance even in poor light conditions
- Large practical working distance
- Switchable between UHD 4K and FHD output
- Options include ESD-protected housing and a built-in laser pointer



"High Resolution, Ergonomic, Endlessly versatile!"



Designed for ergonomic use

Inspectis Ultra HD digital microscopes provide relief to eyes, neck and shoulders through the unique ergonomic design and 230 mm free working distance. By allowing operators to sit comfortably in a good working position, their inspection tasks can be carried out more efficiently.



U10s, Stand-alone 4K system with Single-arm Boom Stand


Thanks to its large aperture optics and sensitive image sensor, U10s provide astonishing images of the inspected object with minimum glare and reflections, even in poor lighting conditions.



The system's standard optics produces 2,4 - 24x magnification (24" monitor). If further magnification is needed, a wide range of diopter Macro Lenses can be added to magnify up to 50x.

Inspectis digital microscopes offer true ease of use with minimal interaction needed with controls and settings. All basic parameters such as zoom, brightness and colour levels can be controlled by the user through on-board buttons on top of the device.


An optional built-in laser pointer aims at the area of interest and assists in locating it on the screen.



Electronics PCB, x10 Zoom +1 Macro, 29x Mag.



Micro mechanics, x5 Zoom, 12x Mag.



Medtech, x10 Zoom with +5 Macro, 50x Mag.



Forensic, x9 Zoom, 21x Mag.

"Optimized for inspection and repair of electronic PCBs"

Making optical inspection enjoyable

Connect a U10s digital microscope to a 4K UHD display or your PC via Inspectis ´ plug-&-play USB3.0 converter and take advantage of the astonishing image resolution, high contrast, true colours at 1:10x zoom range in your optical inspection work.

The Inspectis U10 and U10s digital microscopes can significantly reduce the time you spend on inspecting parts compared with other optical visual systems.



The Inspectis 4K Digital Microscopes are available in two basic models:

U10, an all-in-one, plug-and-play system with integrated aluminium stand and built-in adjustable white LED illumination.

U10s, a stand-alone, totally configurable system with a variety of mounting solutions. Select between any of Inspectis' Boom type, XY-type or Articulated arm stands.





U10 with Antistatic body

U10s with Single-arm Boom Stand

"Designed according to industry standards"

System Specifications

System:

Video Output	Ultra HD 2160/29.97p, 2160/25p switchable to Full HD 1080p/59.94, 1080p/50
Imager	8.3M pixels. 3840(H) x 2160(V) 16:9 format. Progressive scan CMOS image sensor.
Pixel Size (resolution)	1.8 μm x 1.8 μm
I/O Ports	HDMI video output, 5P MiniDin Power input, 8P MiniDin External Remote Control
On-board Control	Zoom, Iris, Auto Focus on/off, White Balance, 4K to Full HD format swap.
External Remote Control	Zoom, Iris, Manual/Auto Brightness, Manual/Auto Focus, White Balance, Picture
	Quality Mode, Display Text, Haircross overlay, Image Rotate, Image Freeze, Memory
	Save/Recall (2 pcs), Foot-switch, Video Output Format and Frame Rate.
Illumination	Integrated Long-life 18x ultra bright pure white LEDs with direction adjustment
Storage Environment	-20° – +60°C, 20 - 95% RH, non-condensing
Operating Environment	-5 ° – +40 °C, 20 - 95% RH, non-condensing
Size, Weight	395 x 240 x 360 mm including metal base, 4.5 kg. including metal base

Optics:

Lens system	10x Optical Zoom with Auto Focus and Iris Control	4 K
Working distance	230 mm (from lens to object at maximum zoom factor)	ULTRA HD
Magnification x1-x10 zoom factor	~ 2.7x ~ 27x on 27" monitor (~ 57x with +5 macro lens)	НЭШі
Field of View at x1-x10 zoom factor	~ 218 x 122,6 mm to ~ 21,8 x 12.3 mm (~ 10.3x5.8mm with +5 lens)	HIGH-DEFINITION MULTIMEDIA INTERFACE
Laser pointer	Class 1 red LED laser with automatic through-optics alignment	

Ordering numbers Inspection Systems:

Item name	Order No.	Lens protection filter, 67mm	HD-098
Inspectis U10, Ultra HD 2160p	HD-017	Ring Light White LED with detachable diffuser	HD-024
Digital Inspection Macroscope	HD-017	Polarization filter for Ring Light	HD-024-P-U
Inspectis U10s, Ultra HD 2160p Modular Digital Inspection Macroscope	HD-018	Ring Light UV 365-375nm wavelength LED	HD-025
		Extension cable (2.0m) for Ring Light	HD-024-C
With Antistatic housing	* -E	XY Floating Board, Antistatic	HD-028
With Laser Pointer	* -L	Tilt Board, Antistatic	HD-029
Ordering numbers optional Accessories:		Aluminium carrying case	HD-040
_ ·		Full HD to USB3.0 converter with software Light	HD-031
Remote Camera Control with Advanced Adjustments for Inspectis Microscopes	HD-020	Full HD to USB3.0 converter with software Pro	HD-032
		Full HD HDMI to USB3.0 converter	HD-033
Foot switch for Remote Camera Control	HD-027	Single-arm Boom stand	HD-060
Macro lens +1 diopter, 67mm	HD-036	Single-arm Boom stand, Antistatic	HD-060-E
Macro lens +2 diopter, 67mm	HD-037	Double-arm Boom Stand	HD-070
Macro lens +3 diopter, 67mm (Achromatic)	HD-038	Articulated-arm Boom Stand	HD-080
Macro lens +5 diopter, 67mm (Achromatic)	HD-039	Rack-&-Pinion Fine Focusing module	HD-090

V.1, 2017 Specifications are subject to change without prior notice!



Quality of Inspection

Inspectis Optical Systems Stockholm, Sweden

www.inspect-is.com info@inspect-is.com